

# SAFETY DATA SHEET



## OXYBOOST PLUS

ACTICHEM PTYLTD

Catalogue number: CS446.045

Version No: 3.1.1

Issue date: 29/04/2025

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### Product Identifier

Product name	OXYBOOST PLUS
Product code	CS446.045
Pack sizes	4.5kg
Proper shipping name	SODIUM CARBONATE PEROXYHYDRATE

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Oxygen powered destainer and booster
--------------------------	--------------------------------------

#### Details of the supplier of the safety data sheet

Registered company name	ACTICHEM PTY LTD	CLEANING SYSTEMS LIMITED
Address	11 Gamma Close, Beresfield 2322 NSW Australia	331A East Tamaki Road, East Tamaki, Auckland, 2013, NZ
Telephone	(02) 4966 5516	+64 9579 4114, 0800 100 117
Website	www.actichem.com.au	www.cleaningsystems.co.nz
Email	info@actichem.com.au	sales@cleaningsystems.co.nz

#### Emergency telephone number

Association / Organisation	National Poisons Centre
Emergency telephone numbers	0800-764-766 (0800 POISON)
Other emergency telephone numbers	Not Available

### SECTION 2 HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the criteria of New Zealand HSNO Hazardous Substances (Hazard Classification) Notice 2020 and New Zealand NZS5433..

Hazard Classification	Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1, Oxidizing Solid Category 2, STOT (Single Exposure) Category 3 <i>Classification drawn from HCIS, ECHA C&amp;L Inventory and HSNO CCID.</i>
-----------------------	--

#### Label elements

Hazard Pictograms	
-------------------	--

SIGNAL WORD	<b>DANGER</b>
-------------	---------------

#### Hazard statement(s)

H272	May intensify fire; oxidizer
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage

**Precautionary statement(s) Prevention**

<b>P210</b>	Keep away from heat / sparks / open flames / hot surfaces. - No smoking.
<b>P221</b>	Take any precaution to avoid mixing with combustibles / organic material.
<b>P280</b>	Wear eye protection and protective gloves
<b>P220</b>	Keep / Store away from clothing / organic material / combustible materials.
<b>P270</b>	Do not eat, drink or smoke when using this product.
<b>P264</b>	Wash exposed skin thoroughly after handling.

**Precautionary statement(s) Response**

<b>P305+P310+P351+P338</b>	IF IN EYES: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>P302+P352+P362+P332+P313</b>	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice / attention.
<b>P301+P330+P312</b>	IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.
<b>P370+P378</b>	In case of fire: Use water spray/fog for extinction.

**Precautionary statement(s) Storage**

<b>P405+P403+P233</b>	Store locked up in a well-ventilated place. Keep container tightly closed.
-----------------------	--

**Precautionary statement(s) Disposal**

<b>P501</b>	Dispose of contents / container in accordance with local regulations
-------------	--

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

**Substances**

See section below for composition of Mixtures

**Mixtures**

CAS No	%[weight]	Name
15630-89-4	>60	<u>sodium percarbonate</u>

**SECTION 4 FIRST AID MEASURES**

**Description of first aid measures**

<b>Eye Contact</b>	<p>If this product comes in contact with the eyes:                      Obtain medical advice / attention without delay.                      Immediately hold eyelids apart and flush the eye continuously with running water.                      Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.                      Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.                      If required, transport to hospital or doctor without delay.                      Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</p>
<b>Skin Contact</b>	<p>If skin contact occurs:                      Immediately remove all contaminated clothing, including footwear.                      Flush skin and hair with running water (and soap if available).                      Seek medical attention in event of irritation.</p>
<b>Inhalation</b>	<p>If fumes, aerosols or combustion products are inhaled remove from contaminated area.                      Other measures are usually unnecessary.</p>
<b>Ingestion</b>	<p><b>IF SWALLOWED, REFER FOR MEDICAL ATTENTION, WHERE POSSIBLE, WITHOUT DELAY.</b>                      For advice, contact a Poisons Information Centre or a doctor.                      Urgent hospital treatment is likely to be needed.                      In the meantime, qualified first-aid personnel should treat the patient following observation and employing supportive measures as indicated by the patient's condition.                      If the services of a medical officer or medical doctor are readily available, the patient should be placed in his/her care and a copy of the SDS should be provided. Further action will be the responsibility of the medical specialist.                      If medical attention is not available on the worksite or surroundings send the patient to a hospital together with a copy of the SDS.</p>

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically

Hydrogen peroxide at moderate concentrations (5% or more) is a strong oxidant.

Direct contact with the eye is likely to cause corneal damage especially if not washed immediately. Careful ophthalmologic evaluation is recommended and the possibility of local corticosteroid therapy should be considered.

**SECTION 5 FIREFIGHTING MEASURES**

**Extinguishing media**

<b>Extinguishing media</b>	<p>NOTE: Chemical extinguishing agents may accelerate decomposition. [CCINFO]  <b>FOR SMALL FIRE:</b>                      Use flooding quantities of water.  <b>DO NOT use dry chemical, CO2, foam or halogenated-type extinguishers.</b>  <b>FOR LARGE FIRE</b>                      Flood fire area with water from a protected position</p>
----------------------------	---

### Special hazards arising from the substrate or mixture

Fire incompatibilities	Avoid storage with reducing agents. Avoid any contamination of this material as it is very reactive and any contamination is potentially hazardous
------------------------	---

### Advice for firefighters

Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water courses. Fight fire from a safe distance, with adequate cover. Extinguishers should be used only by trained personnel. Use water delivered as a fine spray to control fire and cool adjacent area. <b>DO NOT</b> approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	Will not burn but increases intensity of fire. Heating may cause expansion or decomposition leading to violent rupture of containers. Heat affected containers remain hazardous. Contact with combustibles such as wood, paper, oil or finely divided metal may produce spontaneous combustion or violent decomposition. May emit irritating, poisonous or corrosive fumes.
HAZCHEM	1Y

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Minor Spills	Clean up all spills immediately. No smoking, naked lights, ignition sources. Avoid all contact with any organic matter including fuel, solvents, sawdust, paper or cloth and other incompatible materials, as ignition may result. Avoid breathing dust and all contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Scoop up solid residues and seal in labelled drums for disposal. Flush away with copious amounts of water.
Major Spills	Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear full body protective clothing with breathing apparatus. Consider evacuation (or protect in place). No smoking, flames or ignition sources. Increase ventilation.
PPE	Personal Protective Equipment advice is contained in Section 8 of the SDS

## SECTION 7 HANDLING AND STORAGE

### Precautions for safe handling

Safe handling	Provide adequate ventilation. Avoid personal contact and inhalation of dust. Always wear protective equipment and wash off any spillage from clothing. Keep material away from light, heat, flammables or combustibles. Keep cool, dry and away from incompatible materials. Avoid physical damage to containers. <b>DO NOT</b> repack or return unused portions to original containers. Withdraw only sufficient amounts for immediate use. Use only minimum quantity required. Avoid using solutions of peroxides in volatile solvents.
Other information	Store in original containers. Keep containers securely sealed as supplied. Store in a cool, well-ventilated area. Keep dry. Store under cover and away from sunlight. Store away from flammable or combustible materials, debris and waste. Contact may cause fire or violent reaction. Store away from incompatible materials and foodstuff containers.

### Conditions for safe storage, including any incompatibilities.

Suitable container	<b>DO NOT</b> repack. Use containers supplied by manufacturer only.
Storage incompatibility	This product contains hydrogen peroxide which is a powerful oxidiser Avoid contamination with reducing agents, acids, alkalis, organic solvents, metallic salts. Avoid combustible materials and liquids. Keep away from combustible materials such as cloths, wood and sawdust. Keep out of sunlight.


## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control parameters

#### OCCUPATIONAL EXPOSURE LIMITS (OEL)

No relevant data

### Exposure controls

<b>Appropriate engineering controls</b>	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
<b>Personal protection</b>	
<b>Eye and face protection</b>	Chemical goggles. Full face shield may be required for supplementary but never for primary protection of eyes. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly.
<b>Skin protection</b>	See Hand protection below
<b>Hands/feet protection</b>	Wear chemical protective gloves, e.g. Neoprene Hand cream offers no protection for hydrogen peroxide and should not be used.
<b>Body protection</b>	See Other protection below
<b>Other protection</b>	Overalls. PVC Apron. Eyewash unit. Ensure there is ready access to a safety shower.
<b>Thermal hazards</b>	Not Available

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Appearance</b>	White free flowing powder		
<b>Physical state</b>	Powder	<b>Relative density (Water = 1)</b>	Not Available
<b>Odour</b>	Not Available	<b>Viscosity (cSt)</b>	Not Available
<b>Odour threshold</b>	Not Available	<b>Auto-ignition temperature (°C)</b>	Not Applicable
<b>pH (as supplied)</b>	10.0	<b>Decomposition temperature</b>	Not Available
<b>Melting point / freezing point (°C)</b>	Not Available	<b>Partition coefficient n-octanol / water</b>	Not Available
<b>Initial boiling point and boiling range (°C)</b>	Not Available	<b>Molecular weight (g/mol)</b>	Not Available
<b>Flash point (°C)</b>	Not Applicable	<b>Taste</b>	Not Available
<b>Evaporation rate</b>	Not Available	<b>Explosive properties</b>	Not Available
<b>Flammability</b>	Not Applicable	<b>Oxidising properties</b>	Not Available
<b>Upper Explosive Limit (%)</b>	Not Applicable	<b>Surface Tension (dyn/cm or mN/m)</b>	Not Available
<b>Lower Explosive Limit (%)</b>	Not Applicable	<b>Volatile Component (%vol)</b>	Not Available
<b>Vapour pressure (kPa)</b>	Not Available	<b>Gas group</b>	Not Available
<b>Solubility in water (g/L)</b>	Miscible	<b>pH as a solution (1%)</b>	Not Available
<b>Vapour density (Air = 1)</b>	Not Available	<b>VOC g/L</b>	Not Available

## SECTION 10 STABILITY AND REACTIVITY

<b>Reactivity</b>	See section 7
<b>Chemical stability</b>	Unstable in the presence of incompatible materials. Product is considered stable under normal handling conditions. Hazardous polymerisation will not occur. Unstable if submitted to prolonged exposure to heat
<b>Possibility of hazardous reactions</b>	See section 7
<b>Conditions to avoid</b>	See section 7
<b>Incompatible materials</b>	See section 7
<b>Hazardous decomposition products</b>	See section 5

**SECTION 11 TOXICOLOGICAL INFORMATION**

**Information on toxicological effects**

<b>Inhaled</b>	There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation of dusts, generated by the material during the course of normal handling, may be damaging to the health of the individual. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.
<b>Ingestion</b>	Accidental ingestion of the material may be harmful.
<b>Skin Contact</b>	There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
<b>Eye</b>	If applied to the eyes, this material causes severe eye damage.
<b>Chronic</b>	Prolonged or repeated skin contact may cause drying with cracking, irritation and possible dermatitis following.

**Toxicological effects of ingredients**

<b>sodium percarbonate</b>	Acute toxicity	Oral LD50 (rat) 1034 – 2000 mg/kg Dermal LD50 (rabbit) >2000 mg/kg
	Skin corrosion/irritation	Mild irritant (Rabbit).
	Eye damage/irritation	Causes serious eye damage
	Respiratory/skin sensitization	Not a skin sensitizer
	Germ cell mutagenicity	No adverse effect observed in tests conducted
	Carcinogenicity	Not a carcinogen
	Reproductive toxicity	Unlikely to be toxic to reproduction
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available

**SECTION 12 ECOLOGICAL INFORMATION**

**Toxicity**

	Endpoint	Duration (Hr.)	Species	Value
<b>sodium percarbonate</b>	EC50	48	Crustacea	=4.9mg/L
	NOEC	48	Crustacea	=2mg/L

DO NOT discharge into sewer or waterways.

**Persistence and degradability**

Ingredient	Persistence: Water/Soil	Persistence: Air
No data available		

**Bio accumulative potential**

Ingredient	Bioaccumulation
No data available	

**Mobility in soil**

Ingredient	Mobility
No data available	

**SECTION 13 DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

<b>Product / packaging disposal</b>	Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations
-------------------------------------	--

**SECTION 14 TRANSPORT INFORMATION**

**Labels Required**

	
<b>Marine Pollutant</b>	NO
<b>HAZCHEM</b>	1Y

## Land transport

UN number	3378				
Packing group	II				
UN proper shipping name	SODIUM CARBONATE PEROXYHYDRATE				
Environmental hazard	No relevant data				
Transport hazard class(es)	<table border="1"><tr><td>Class</td><td>5.1</td></tr><tr><td>Sub risk</td><td>Not applicable</td></tr></table>	Class	5.1	Sub risk	Not applicable
Class	5.1				
Sub risk	Not applicable				
Special precautions for user	<table border="1"><tr><td>Special provisions</td><td>Not applicable</td></tr><tr><td>Limited quantity</td><td>1 kg</td></tr></table>	Special provisions	Not applicable	Limited quantity	1 kg
Special provisions	Not applicable				
Limited quantity	1 kg				
Health and Safety at Work (Hazardous Substance Regulations 2017)	Must not be carried on a passenger service vehicle				

## SECTION 15 REGULATORY INFORMATION

## Safety, health and environmental regulations / legislation specific for the substance or mixture

## SODIUM PERCARBONATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

New Zealand Inventory of Chemicals (NZIoC)  
Chemical Classification and Information Database (CCID)  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

## NEW ZEALAND HSNO ACT 1996

Substance approval - Cleaning Products (Oxidising Liquids and Solids) Group Standard | HSR002590 | October 2020

## SECTION 16 OTHER INFORMATION

## Revision Schedule

Revision Date	29/04/2025
Initial Date	08/12/2016

## SDS Version Summary

Version	Issue Date	Sections Updated
2.1	07/07/2021	Sections 2, 11, 12, 15, 16 have been updated or corrected
2.2	13/12/2021	Sections 1, 2, 8, 15.
3.1.1	29/04/2025	Section 1.

## Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of ACTICHEM PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes.

## Definitions and abbreviations

PC-TWA:	Permissible Concentration-Time Weighted Average
PC-STEL:	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Government Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit
IDLH:	Immediate Danger to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Effects Level
TLV:	Threshold Limit Value
LOD:	Limit Of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from ACTICHEM PTY LTD.

End of SDS